



Recipient Name: _____


Amtryke Assessment Form

(Must be filled out completely by therapist)

Age: _____ Weight (lbs.):* _____ Height (inches):* _____
Diagnosis(es):* _____

*This private information is only used to help appropriately fit the rider.

RIDER'S MEASUREMENTS				
Arm Measurements (inches)				Total Length
Left	A to B:		B to C:	
Right	A to B:		B to C:	
Trunk	A to D:			
Leg Measurements (inches)				Total Length
Left	D to E:		E to F:	
Right	D to E:		E to F:	



A	Center of Shoulder
B	Center of Elbow
C	Center of Digit Crease
D	Center of Hip
E	Center of Knee
F	Bottom of Foot

Arm Length & Leg Length Measurements are critical to correct Amtryke Selection Sizing Chart is available online: www.ambucs.org/riders/wish-list/sizing-chart/

Notes on Provided Measurements (if any):

Helmet Sizing	
Size	Measurement (head circumference)
XXS	18.5" to 19.5"
XS	20.5" to 22"
S/M	22" to 23.6"
L/XL	23.6" to 35.75"

Therapist Name: _____ Is this the treating therapist? Yes No

Credentials: _____

Phone: _____ Email: _____

Facility Name: _____

Street Address: _____ City: _____ State: _____ Zip: _____

Is this facility an Amtryke Evaluation Site? Yes No Not Sure

Therapist comments concerning recipient or goals:

By signing below, you are signifying that in your professional opinion this rider would benefit from an Amtryke. You assume no liability.

Therapist Signature: _____ Date: _____

Ship Amtryke To

Name/Facility: _____	Phone: _____
Street Address: _____	
City: _____	State: _____ Zip: _____



Recipient Name: _____

Thanks for choosing an Amtryke therapeutic tricycle!

In order to accommodate the widest variety of people and disabilities, Amtryke offers many tryke models and each can be customized in a variety of ways. Following the steps below will help you choose to the perfect tryke for your client from what might seem like a dizzying array of options.

Step 1: Fill out the first page of the Amtryke Assessment Form.

Step 2: Choose the way the tryke will be propelled: **Hand & Foot, Foot, or Hand.** Your choice should be based on the rider's ability and therapy goals.

Hand & Foot trykes improve coordination, strength and range of motion. Using all four extremities helps with weakness in any area, even general weakness, and can positively affect tone.

Foot trykes were developed in response to requests from therapists for a traditional tricycle for riders with special needs.

Hand trykes are designed for persons whose lower limbs lack function or those who need special therapy for the upper extremity.

Step 3: Take rider's measurements from the front of this Assessment Form and compare them to our Sizing Chart. (This will narrow the choices considerably)

Step 4: Choose a drive. (If it doesn't mention a choice, then ignore this step.)

Amtrykes come with two drive possibilities: **fixed** drive or **geared** drive. Tryke models have been carefully designed so the drive matches the therapeutic goals of the equipment; therefore all drives are not available on all trykes.

A **fixed** drive, commonly known as a 'fixie,' works on a mechanical level to help individuals make a full pedal rotation. The foot crank is constantly in motion for full therapeutic effect. Coasting is not possible with a positive drive; when limb motion stops, the bike does as well.

Riders of **geared** drive trykes must be able to make a complete pedal rotation on their own. This tryke is suitable for riders who need help with balance and a stable sitting position and who have the cognitive ability to steer successfully and apply the coaster brake or hand brake. The key feature of geared trykes is the ability to coast.

Step 5: Chose any adaptations and/or accessories needed by the rider. *Each tryke model can only be customized in the ways noted in its own model section in the Tryke Selection Forms or with the generic accessories listed below. If a customization option is not listed, it is because of design or other practical constraints in offering it on a particular model.*

GENERIC ACCESSORIES (not model specific)				
Safety Items	<input type="checkbox"/> Safety Flag	<input type="checkbox"/> NEW! Medical Cart (carries O ₂ bottle/ventilator/tubing)	<input type="checkbox"/> Water Bottle w Cage	<input type="checkbox"/> License Plate
Leg & Foot Items	<input type="checkbox"/> Foot Cups (pair): <input type="checkbox"/> Small <input type="checkbox"/> Medium	<input type="checkbox"/> Knee Adductor Strap: <input type="checkbox"/> Small <input type="checkbox"/> Large <input type="checkbox"/> Medium	<input type="checkbox"/> Pedal Block (1 = 3/4") _____ qty	
Hand Items	<input type="checkbox"/> Variable Range of Motion Kit (only for Hand & Foot Cycles)	<input type="checkbox"/> Wrist Wraps (Includes right & left) <input type="checkbox"/> X-Small <input type="checkbox"/> Large <input type="checkbox"/> Small <input type="checkbox"/> Medium	<input type="checkbox"/> Wrist Brace Mitt: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> XX-Small <input type="checkbox"/> Medium <input type="checkbox"/> X-Small <input type="checkbox"/> Small	



Recipient Name: _____

FOOT TRYKES

<input type="checkbox"/> New! 1410 FOOT TRYKE – (10" wheels, fixed drive) 50-FC-0100 Arm Length 7-20", Leg Length 14-21"		
<input type="checkbox"/> Option #1 – Standard Seating System: Blue Bucket Seat		
<input type="checkbox"/> Option #2 – Alternate Seating System: Snappy Seat System		
Snappy Seat Accessories: <input type="checkbox"/> Notched Seat Bottom Cushion* <input type="checkbox"/> Laterals <input type="checkbox"/> Head Rest		
<input type="checkbox"/> Notched Wide Bottom Cushion* <input type="checkbox"/> XL Seat Back** <input type="checkbox"/> Separator Cube		
1410 Accessories:	<input type="checkbox"/> Rear Steering Kit	<input type="checkbox"/> Pull/Steering Bar
	<input type="checkbox"/> Push Bar	<input type="checkbox"/> Heavy-Duty Push Bar

<input type="checkbox"/> SNAPPY FOOT TRYKE (12" wheels, fixed drive) – 50-FC-0150 Arm Length 9-13", Leg Length 17-22"		
<input type="checkbox"/> Option #1 – Standard Seating System: Snappy Seat System		
Snappy Seat Accessories: <input type="checkbox"/> Notched Seat Bottom Cushion* <input type="checkbox"/> Laterals <input type="checkbox"/> Head Rest		
<input type="checkbox"/> Notched Wide Bottom Cushion* <input type="checkbox"/> XL Seat Back** <input type="checkbox"/> Separator Cube		
<input type="checkbox"/> Option #2 – Alternate Seating System: Blue Bucket Seat		
<input type="checkbox"/> Option #3 – Alternate Seating System: Saddle Seat/1600 Simple Seatback		
Snappy Accessories:	<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> H-Harness: <input type="checkbox"/> 8" <input type="checkbox"/> 11.5"
	<input type="checkbox"/> Push Bar	<input type="checkbox"/> Heavy-Duty Push Bar <input type="checkbox"/> Exercise Pedals

<input type="checkbox"/> 1412 ProSeries FOOT TRYKE (12" wheels, fixed drive) – 50-FC-1412 Arm Length 14-22", Leg Length 21-26"		
<input type="checkbox"/> Option #1 – Standard Seating System: Saddle Seat/1600 Simple Seatback		
Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Medium (11.5x10") <input type="checkbox"/> Skinny Saddle Seat (8.5x6")		
<input type="checkbox"/> Option #2 – Alternate Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals)		
Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Medium (11.5x10") <input type="checkbox"/> Skinny Saddle Seat (8.5x6")		
Trunk Support Options: <input type="checkbox"/> ProSeries Full Padded Back <input type="checkbox"/> ProSeries Head Rest <input type="checkbox"/> ProSeries Lumbar Pad		
<input type="checkbox"/> Recumbent 10 Degree Seat Post		
<input type="checkbox"/> Option #3 – Alternate Seating System: Gray Bucket Seat		
<input type="checkbox"/> Option #4 – Alternate Seating System: Snappy Seat System		
Snappy Seat Accessories: <input type="checkbox"/> Notched Seat Bottom Cushion* <input type="checkbox"/> Laterals <input type="checkbox"/> Head Rest		
<input type="checkbox"/> Notched Wide Bottom Cushion* <input type="checkbox"/> XL Seat Back** <input type="checkbox"/> Separator Cube		
1412 Accessories:	<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> Toe Pedal Leveler Pulley <input type="checkbox"/> H-Harness: <input type="checkbox"/> 8" <input type="checkbox"/> 11.5"
	<input type="checkbox"/> Rear Steering Kit	<input type="checkbox"/> Front Hand Brake Kit (cannot be used with Rear Steering)
	<input type="checkbox"/> Push Bar	<input type="checkbox"/> Hi-Rise Handlebars: <input type="checkbox"/> 5" (BMX) <input type="checkbox"/> 8" <input type="checkbox"/> Exercise Pedals
	<input type="checkbox"/> Heavy-Duty Push Bar	<input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5" <input type="checkbox"/> 9" Extender Tube

*cannot be used in conjunction with rear steering. **cannot be used in conjunction with an h-harness, head rest or laterals.



Recipient Name: _____

FOOT TRYKES

<input type="checkbox"/> 1416 ProSeries FOOT TRYKE (16" wheels, fixed or freewheel drive) – 50-FC-1416 Arm Length 14-22", Leg Length 24-32"			
<input type="checkbox"/> Option #1 – Standard Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals) Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat with bracket <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Med (11.5x10") <input type="checkbox"/> Large(14x13") Trunk Support Options: <input type="checkbox"/> ProSeries Full Padded Back <input type="checkbox"/> ProSeries Head Rest <input type="checkbox"/> ProSeries Lumbar Pad <input type="checkbox"/> Recumbent 10 Degree Seat Post			
<input type="checkbox"/> Option #2 – Alternate Seating System: Saddle Seat/1600 Simple Seat Back Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat with bracket <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Med (11.5x10") <input type="checkbox"/> Large(14x13")			
<input type="checkbox"/> Option #3 – Alternate Seating System: Gray Bucket Seat			
1416 Accessories:			
<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> Toe Pedal Leveler Pulley	<input type="checkbox"/> H-Harness: <input type="checkbox"/> 8" <input type="checkbox"/> 11.5"	
<input type="checkbox"/> Rear Steering Kit	<input type="checkbox"/> Calf & Leg Supports	<input type="checkbox"/> Exercise Pedals	
<input type="checkbox"/> Push Bar	<input type="checkbox"/> Hi-Rise Handlebars: <input type="checkbox"/> 8" <input type="checkbox"/> 12"	<input type="checkbox"/> 3-Speed Kit	
<input type="checkbox"/> Heavy-Duty Push Bar	<input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5"	<input type="checkbox"/> 9" extender tube	

<input type="checkbox"/> 1420 ProSeries FOOT TRYKE (20" wheels, fixed or freewheel drive) – 50-FC-1420 Arm Length 18-28", Leg Length 27-35"			
<input type="checkbox"/> Option #1 – Standard Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals) Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat w/ bracket <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Med (11.5x10") <input type="checkbox"/> Large(14x13") Trunk Support Options: <input type="checkbox"/> ProSeries Head Rest <input type="checkbox"/> ProSeries Full Padded Back <input type="checkbox"/> ProSeries Lumbar Pad <input type="checkbox"/> Recumbent 10 Degree Seat Post			
<input type="checkbox"/> Option #2 – Alternate Seating System: Saddle Seat/1600 Simple Seatback Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat w/ bracket <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Med 11.5x10" <input type="checkbox"/> Large(14x13")			
<input type="checkbox"/> Option #3 – Alternate Seating System: Gray Bucket Seat			
1420 Accessories:			
<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> Toe Pedal Pulley	<input type="checkbox"/> H-Harness: <input type="checkbox"/> 8" <input type="checkbox"/> 11.5"	
<input type="checkbox"/> Rear Steering Kit	<input type="checkbox"/> Calf & Leg Supports	<input type="checkbox"/> Exercise Pedals	
<input type="checkbox"/> Push Bar	<input type="checkbox"/> 12" Hi-Rise Handlebars	<input type="checkbox"/> 3-Speed Kit	
<input type="checkbox"/> Heavy-Duty Push Bar	<input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5"	<input type="checkbox"/> 9" extender tube	

<input type="checkbox"/> 1420XL ProSeries FOOT TRYKE (20" wheels, fixed or freewheel drive) – 50-FC-1420-XL Arm Length 20-32", Leg Length 28-43"			
<input type="checkbox"/> Option #1 – Standard Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals) Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat w/ bracket <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Med (11.5x10") <input type="checkbox"/> Large(14x13") Trunk Support Options: <input type="checkbox"/> ProSeries Head Rest <input type="checkbox"/> ProSeries Full Padded Back <input type="checkbox"/> ProSeries Lumbar Pad <input type="checkbox"/> Recumbent 10 Degree Seat Post			
<input type="checkbox"/> Option #2 – Alternate Seating System: Saddle Seat/1600 Simple Seat Back Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat with bracket <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Med (11.5x10") <input type="checkbox"/> Large(14x13")			
<input type="checkbox"/> Option #3 – Alternate Seating System: Wheelchair Seat Wheelchair Seat Accessories: <input type="checkbox"/> Wheelchair Seat Bar Ends <input type="checkbox"/> Swing Away Arms			
1420 XL Accessories:			
<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> Toe Pedal Pulley	<input type="checkbox"/> H-Harness: <input type="checkbox"/> 8" <input type="checkbox"/> 11.5"	
<input type="checkbox"/> Rear Steering Kit	<input type="checkbox"/> Calf & Leg Supports	<input type="checkbox"/> Exercise Pedals	
<input type="checkbox"/> Push Bar	<input type="checkbox"/> Hi-Rise Handlebars <input type="checkbox"/> 12" <input type="checkbox"/> 23"	<input type="checkbox"/> 3-Speed Kit	
<input type="checkbox"/> Heavy-Duty Push Bar	<input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5"	<input type="checkbox"/> 9" extender tube	



Recipient Name:

NEW! High Functioning Set Up (Both Options Allow Coasting) Can be used with 1416, 1420, 1420XL
(Rider must have the ability to steer, apply brake and make a complete pedal rotation on their own.)

Choose Tryke: 1416 1420 1420XL

Option #1: (switch to existing freewheel hub and add Disk Brake Kit - *necessary* for safety) Adds the ability to coast and trail ride

Option #2: (3-Speed Kit and coaster brake) Adds the ability to coast and switch gears for hilly terrain – *Replaces the 1600 Series*

Standard Seating System (for either option): Saddle Seat/1600 Simple Seat Back

Seat Bottom Alternates: Bench Seat Tractor Seat with bracket Pommel Saddle Seat Med (11.5x10") Large(14x13")
 Medium Saddle (10.5x10") Large Saddle (13x12")

Suggested Accessories: Exercise Pedals Hi-Rise Handlebars: 8"(1416) 12" (1420) 23"(1420XL)

NEW! 2722 FOOT TRYKE (with 24" wheels, single speed, hand & coaster brake) – **50-FC-2722** Arm Length 22-30", Leg Length 28-36" **Advanced Riders Only; must be able to make a pedal revolution on their own**

Option #1 – Standard Seating System: Large Saddle Seat (13x12")

Seat Bottom Alternates: Bench Seat Med Saddle (10.5x10) Tractor Seat w/Bracket: 19" 23"
 Pommel Saddle Seat Medium (11.5x10") Large(14x13")

Option #2 – Alternate Seating System: 1400 ProSeries Seat Back (push grip, backpad, saddle seat (13x12") & 2 laterals)

Seat Bottom Options: Bench Seat Med Saddle (10.5x10) Tractor Seat w/Bracket: 19" 23"
 Pommel Saddle Seat Medium (11.5x10") Large(14x13")

Option #3 – Alternate Seating System: Large Saddle Seat (13x12")/ 1600 Simple Seat Back

Seat Bottom Options: Bench Seat Med Saddle (10.5x10) Tractor Seat w/Bracket: 19" 23"
 Pommel Saddle Seat Medium (11.5x10") Large(14x13")

2722 Accessories: Exercise Pedals Expanding Pedals Heel Pedal Leveler Pulley (only w/ Expanding Pedals)
 23" Hi-Rise Handlebars Calf & Leg Supports (only w/ Expanding Pedals)
 ProSeries Handlebars Stem Riser 7-Speed Kit Dual Hand Brake Lever

JT-2000 FOOT TRYKE (Recumbent 14-Speed) – **50-FC-2000** (advanced riders only) Arm Length 20-28", Leg Length 30-41"

JT-2000 Accessories: Exercise Pedals XL Exercise Pedals Expanding Pedals Digital Speedometer
 Dual Hand Brake Toe Clips Basket Rearview Mirror

JT-2300-USS FOOT TRYKE (Recumbent 14-Speed with **Under Seat Steering**) – **50-FC-2300-USS** (advanced riders only)
Arm Length 20-28", Leg Length 30-41"

JT-2300-USS Accessories: Exercise Pedals XL Exercise Pedals Expanding Pedals Digital Speedometer
 Dual Hand Brake Toe Clips Basket Rearview Mirror

Available Summer 2016

TADPOLE FOOT TRYKE (Recumbent 14-Speed) – **50-FC-3000** (advanced riders only) Arm Length 20-28", Leg Length 30-41"

Tadpole Accessories: Exercise Pedals XL Exercise Pedals Expanding Pedals Digital Speedometer
 Dual Hand Brake Toe Clips Rearview Mirror

Therapist Assembly Notes or Comments (if any):